



FOODLUBE®

SPECIALIST FOOD GRADE LUBRICANTS

Performance you can trust



Performance you can trust for the food industry



The sectors we serve

- ▶ Fruit and Vegetables
- ▶ Meat
- ▶ Fish
- ▶ Pharmaceutical
- ▶ Dairy
- ▶ Confectionery
- ▶ Bakery
- ▶ Drinks

Technically advanced lubricants developed by chemists and engineers to meet customer needs.

Our food grade products:

- ▶ Reduce production downtime
- ▶ Avoid costly product recalls
- ▶ Support audit compliance

All products are:

- NSF registered for incidental food contact
- NSF H1 registered for incidental food contact and ISO 21469 certified
- Manufactured from only FDA listed ingredients
- Free from GMOs, nut oils and their derivatives

ROCOL meets stringent hygiene and sanitation standards and has these certifications:

ISO 21469 Certified The international standard for the manufacture of food-grade lubricants.

Halal and Kosher Certified All NSF H1 lubricants and NSF registered cleaners are Halal and Kosher certified.

The Vegan Society Certified Has registered products that meet the Vegan Trademark criteria.

DETEX® Technology

To reduce risk of plastic contamination, all food grade aerosols and standard cartridges are equipped with DETEX® metal detectable plastic components.



Customer Service: +27 (0)11 462 1730

FOODLUBE®

- Reduces production downtime
- Avoids costly product recalls
- Supports audit compliance

Featuring unique TPM ID codes and NSF category codes



GENERAL LUBRICATION

NORMAL CONDITIONS						WET ENVIRONMENTS		SPECIALIST APPLICATIONS				
MED/HEAVY DUTY		LIGHT DUTY				MED/HEAVY DUTY	LIGHT DUTY	DRIVE BELTS	VACUUM PUMPS	DISSOLVING SUGAR	3H DIRECT FOOD CONTACT	CAN SEAMERS
OILY FILM	GREASY FILM	VEG OIL BASED FILM	LIGHT OILY FILM	SILICONE BASED LIGHT OILY FILM	DRY PTFE FILM	HEAVY DUTY OILY FILM	LIGHT DUTY WATER DISPLACING FILM					
FOODLUBE® MULTI-LUBE	FOODLUBE® SPRAY GREASE	FOODLUBE® SPRAY	FOODLUBE® WD SPRAY	PRECISION SILICONE SPRAY	DRY PTFE SPRAY	FOODLUBE® MULTI-LUBE	FOODLUBE® WD SPRAY	BELT DRESSING SPRAY	VAC PUMP OIL	FOODLUBE® SUGAR DISSOLVING FLUID	PULOL® FLUID	FOODLUBE® SEAMER FLUID 150
20 H1	31 H1	12 H1	32 H1	1 H1	4 H1	20 H1	32 H1	29 H1	35 H1	21 H1	51 H1 3H	58 H1
ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED
MULTI PURPOSE OIL LUBRICATION FOR LINKAGES, PINS, PIVOTS, BEARINGS AND CHAINS	MULTI PURPOSE GREASE FOR BEARINGS, LINKAGES, PINS AND SLIDES	LIGHT DUTY OIL FOR LINKAGES, PINS, PIVOTS BEARINGS AND CHAINS WHERE VEGETABLE OIL IS PREFERRED	MULTI PURPOSE LUBRICANT, CLEAN, PROTECTS, LUBRICATES, PENETRATES AND DISPLACES WATER ON LINKAGES, PINS, BUSHES, BEARINGS ETC.	LOW FRICTION ANTI-STICK FILM FOR CHUTES, SLIDES AND GENERAL LIGHT LUBRICATION	LOW FRICTION, DRY FILM FOR CHUTES, SLIDES AND GENERAL LIGHT LUBRICATION	MULTI PURPOSE OIL LUBRICATION FOR LINKAGES, PINS, PIVOTS, BEARINGS AND CHAINS	MULTI PURPOSE LUBRICANT, CLEAN, PROTECTS, LUBRICATES, PENETRATES AND DISPLACES WATER ON LINKAGES, PINS, BUSHES, BEARINGS ETC.	CONDITIONS AND PREVENTS SLIPAGE OF ALL TYPES OF DRIVE AND CONVEYOR BELTS	MINIMISES DEPOSITS IN VACUUM PUMP SYSTEMS, INCREASES PUMP RELIABILITY AND PREVENTS CORROSION FROM MOISTURE INGRESS	DISSOLVES AND REMOVES SUGAR, LUBRICATES AND PROTECTS AGAINST CORROSION	MULTI PURPOSE FLUID AND A FOOD PROCESSING RELEASE AGENT FOR DIRECT FOOD CONTACT	NON-TOXIC LUBRICANT DESIGNED SPECIFICALLY FOR THE LUBRICATION OF CAN SEAMERS OPERATING WITH EITHER TOTAL LOSS OR RECIRCULATING LUBRICATION SYSTEMS

BEARINGS

EXTREME LOW TEMP (-50°C TO +160°C)	AUTOMATIC LUBRICATION (-20°C TO +160°C)		MULTI PURPOSE/HIGH SPEED (-30°C TO +180°C)	HIGHLY ADHESIVE (-15°C TO +160°C)	EXTREME WET (-30°C TO +160°C)	DIRECT CONTACT (-10°C TO +110°C)	HIGH TEMP (UP TO +200°C)		EXTREME HIGH TEMP (UP TO +280°C)
LIGHT / HEAVY LOAD	LIGHT LOAD	LIGHT / HEAVY LOAD	LIGHT / HEAVY LOAD	LIGHT / HEAVY LOAD	LIGHT / HEAVY LOAD	LIGHT / MEDIUM LOAD	LIGHT / HEAVY LOAD	LIGHT LOAD	LIGHT / HEAVY LOAD
NORMAL / WET			NORMAL / WET			3H DIRECT FOOD CONTACT	NORMAL / WET	AGGRESSIVE ENVIRONMENTS	EXTREME / AGGRESSIVE ENVIRONMENTS
FOODLUBE® UNIVERSAL GREASE 2	FOODLUBE® AUTO SF	FOODLUBE® HI-LOADSF	FOODLUBE® PREMIER 1	FOODLUBE® ULTRA	FOODLUBE® EXTREME	PULOL® GREASE / SPRAY	FOODLUBE® PREMIER 1	FOODLUBE® HI-TEMP 2	SAPPHIRE® ENDURE
7 14 11 H1	59 H1	66 H1	42 H1	37 H1	34 H1	52 53 31 3H	42 H1	15 H1	56 H1
ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED
MULTI-PURPOSE EP GREASE WITH PTFE ALL TYPES OF APPLICATIONS E.G. PINS, PIVOTS, BEARINGS AND CHILLERS	HIGH PERFORMANCE EP SEMI-FLUID LUBRICANT FOR AUTOMATIC LUBRICATORS	FOOD GRADE, SEMI FLUID, EP GREASE FOR USE ON HIGHLY LOADED BEARINGS FED BY SMALL BORE PIPE WORK IN AUTOMATIC LUBRICATION SYSTEMS	HIGH PERFORMANCE MULTI PURPOSE EP GREASE WITH PTFE, GOOD WITH HIGH SPEEDS AND HEAVY LOADS	PARTICULARLY FOR PLAIN BEARINGS, SLIDES AND CAMS WHERE A TENACIOUS LONG LASTING LUBRICANT IS REQUIRED	MULTI-PURPOSE EP GREASE WITH HIGH LEVELS OF WATER RESISTANCE	MULTI PURPOSE GREASE AND A FOOD PROCESSING RELEASE AGENT FOR DIRECT FOOD CONTACT	MULTI PURPOSE EP GREASE WITH PTFE	PARTICULARLY FOR HIGH TEMPERATURES OR WHERE SILICONE GREASE WITH PTFE IS REQUIRED	PFPE GREASE EXTENDS RELUBRICATION INTERVALS AND IS EXTREMELY RESISTANT TO CHEMICAL ATTACK

DRIVE & CONVEYOR CHAINS

LOW/MEDIUM TEMP (-50°C TO +180°C)	MEDIUM TEMP (-20°C TO +160°C)			HIGH TEMP (UP TO +280°C)			EXTREME HIGH TEMP (+180°C TO +550°C)
GENERAL APPLICATIONS	GENERAL APPLICATIONS	OVERHEAD CHAINS	CHAIN & PRESS LUBRICANT	EXTENDED RELUBRICATION PERIODS	OVEN CHAIN LUBRICANT	CHAIN FLUID	MOIST FILM (TO +180 °C) DRY FILM (TO +550 °C)
FOODLUBE® MULTI-LUBE	FOODLUBE® CHAIN FLUID / SPRAY	FOODLUBE® OVERHEAD CHAIN FLUID	FOODLUBE® 1500 SPRAY	FOODLUBE® ENDURE 00	BAKERLUBE™ CL	FOODLUBE® XT CHAIN FLUID	BAKERLUBE™ HT
20 H1	10 16 H1	25 H1	68 H1	24 H1	44 H2	57 H1	45 H2
ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED		ISO 21469 CERTIFIED	
MULTI PURPOSE OIL LUBRICATION FOR LINKAGES, PINS, PIVOTS, BEARINGS AND CHAINS. GOOD FOR LIGHT LOADS AND SMALL TIGHT TOLERANCE PIN CHAINS	MULTI PURPOSE OIL FOR ALL DRIVE AND CONVEYOR CHAINS IN ALL CLEAN INDUSTRIES	ADHESIVE LUBRICANT FOR ABATOIRS ETC. WHERE DRIPPING CANNOT BE TOLERATED	FOOD GRADE, MULTIPURPOSE, CHAIN AND PRESS LUBRICANT IN AEROSOL	SEMI-FLUID GREASE THAT EXTENDS RELUBRICATION INTERVALS AND IS EXTREMELY RESISTANT TO CHEMICAL ATTACK	FOR BAKERY OVEN CHAINS WHERE AUTOMATIC LUBRICATORS ARE USED	HIGH TEMPERATURE FOOD GRADE CHAIN FLUID SPECIALLY FORMULATED FOR THE LUBRICATION OF BAKERY OVEN CHAINS	FOR BAKERY OVEN CHAINS WHERE A DRY FILM IS PREFERRED

CORROSION PROTECTION

REMOVABLE FILM	AIR COMPRESSORS & AIRLINES		HYDRAULICS	GEARBOXES & HOMOGENISERS	SPUR/HELICAL GEARBOXES	WORM DRIVE GEARBOXES	GEAR BOX FLUSHING OIL
	AIRLINE COMPRESSORS	AIRLINE LUBRICATORS		WATER CONTAMINATION			
FOODLUBE® PROTECT SPRAY	FOODLUBE® HI-POWER 68/100	FOODLUBE® HI-POWER 22	FOODLUBE® HI-POWER 32/46	RAPID DEMULSE 220	FOODLUBE® HI-TORQUE 150/220/320	FOODLUBE® HI-TORQUE 460	VAC PUMP OIL
33 H1	3 17 H1	5 H1	6 18 H1	40 H1	28 8 13 H1	27 H1	35 H1
ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED
WAXY FILM FOR LONG TERM CORROSION PROTECTION	SCREW, VANE AND RECIPROCATING AIR COMPRESSORS	ALL TYPES OF AIRLINE LUBRICATOR BOTTLES	MOST TYPES OF HYDRAULIC POWERPACK	RAPID SEPARATION ALLOWS EASY DRAINING WHERE THE WATER IS DRAINED OFF FREQUENTLY TO ALLOW CONTINUED USE	MEDIUM/HIGH SPEED DRIVE UNITS ON HOISTS, MIXERS ETC.	WORM DRIVE UNITS ON HIGHLY LOADED GEARBOXES, CONVEYOR DRIVES, MIXERS, STIRRERS ETC.	IDEAL FOR FLUSHING GEARBOXES BEFORE REFILLING

COMPRESSORS & HYDRAULICS

POWER TRANSMISSION

ANTI-SEIZE & ASSEMBLY

ANTI-SEIZE, ASSEMBLY AND DRY FILM LUBRICATION			DISMANTLING	ELECTRICAL/ELECTRONIC	GENERAL PURPOSE			
MANUAL APPLICATION	MANUAL APPLICATION	AEROSOL APPLIED	PENETRATING LUBRICANTS	RESIDUE FREE SOLVENT	HEAVY DUTY SOLVENT	RESIDUE FREE SOLVENT	WATER BASED	
FOODLUBE® ANTI-SEIZE	FOODLUBE® MULTIPASTE	FOODLUBE® MULTIPASTE SPRAY	FOODLUBE® DISMANTLING SPRAY	ELECTRA CLEAN SPRAY	REMOVER & DEGREASER	INDUSTRIAL CLEANER RAPID DRY SPRAY	FOAM CLEANER SPRAY	STAINLESS STEEL CLEANER SPRAY
64 H1	2 H1	26 H1	23 H1	36 K2	49 C1	46 K1	22 A1	55 A7
ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED	ISO 21469 CERTIFIED					
ADVANCED ANTI-SEIZE GREASE THAT PREVENTS GALLING AND SEIZURE OF JOINTS AND FASTENERS IN HIGH TEMPERATURE/HUMID ENVIRONMENTS	FOR ASSEMBLY AND LUBRICATION OF BUSHES, SLIDES AND SMALL OPEN GEARS	FOR ASSEMBLY AND LUBRICATION OF BUSHES, SLIDES AND SMALL OPEN GEARS	FAST ACTING SPRAY THAT PENETRATES, RELEASES AND CLEANS	EXTREMELY FAST EVAPORATING SOLVENT FOR ELECTRIC MOTORS, RELAYS AND SWITCHGEARS	CITRUS BASED MULTI PURPOSE CLEANER	MULTI-PURPOSE DEGREASER DESIGNED TO REMOVE GREASE, OIL, DIRT AND GRIME	REMOVES GREASE, GRIME AND DIRT. IDEAL FOR ALL SURFACES INCLUDING PLASTICS AND METAL	REMOVES GREASE, OIL & GENERAL GRIME FROM MOST METAL SURFACES AND IS PARTICULARLY EFFECTIVE FOR POLISHING STEEL

CLEANERS

Customer Service: +27 (0) 11 462 1730

www.rocol.co.za

PART CODE SELECTOR

TPM	NSF	GENERAL LUBRICATION	300ml	400ml	500ml	5L	20L	200L					
20	H1	FOODLUBE® MULTI-LUBE			15120	15126							
31	H1	FOODLUBE® SPRAY GREASE		15030									
12	H1	FOODLUBE® SPRAY	15710										
32	H1	FOODLUBE® WD SPRAY	15010										
1	H1	PRECISION SILICONE SPRAY		34035									
4	H1	DRY PTFE SPRAY		34235									
29	H1	BELT DRESSING SPRAY	34295										
35	H1	VAC PUMP OIL				16806	16805						
21	H1	FOODLUBE® SUGAR DISSOLVING FLUID			15110	15116							
53	H1,3H	PUROL™ SPRAY GREASE		15631									
51	H1,3H	PUROL™ FLUID			15617	15618	15619						
58	H1	FOODLUBE® SEAMER FLUID 150						16029					
TPM	NSF	BEARINGS	100g	370g	380g	380g (Lubeshuttle)	700g	125ml	1kg	4kg	5kg	18kg	160kg
7	H1	FOODLUBE® UNIVERSAL GREASE 2			15231					15236		15234	
60	H1	FOODLUBE® AUTOLUBE COMPLETE*						15224					
60	H1	FOODLUBE® AUTOLUBE REFILL*						15220					
42	H1	FOODLUBE® PREMIER 1			15291	15281				15296		15294	
61	H1	FOODLUBE® UNILUBE						13010					
59	H1	FOODLUBE® AUTO SF								15912		15913	15914
66	H1	FOODLUBE® HI-LOAD SF								15966		15964	
37	H1	FOODLUBE® ULTRA			15811							15814	
34	H1	FOODLUBE® EXTREME			15241	15282				15246		15244	
15	H1	FOODLUBE® HI-TEMP 2			15251					15256		15254	
56	H1	SAPPHIRE® ENDURE	12330					12331	12334		12336	12337	
52	H1,3H	PUROL™ GREASE		15611						15616		15614	
TPM	NSF	DRIVE & CONVEYOR CHAINS	525g	125ml	400ml	500ml	5L	20L	200L				
20	H1	FOODLUBE® MULTI-LUBE				15120	15126						
10	H1	FOODLUBE® CHAIN FLUID					15506	15505					
62	H1	FOODLUBE® CHAIN FLUID UNILUBE		13011									
16	H1	FOODLUBE® CHAIN SPRAY			15610								
25	H1	FOODLUBE® OVERHEAD CHAIN FLUID					15786	15785					
68	H1	FOODLUBE® 1500 SPRAY			15520								
57	H1	FOODLUBE® XT CHAIN FLUID						15800	15801				
24	H1	FOODLUBE® ENDURE 00	15503										
44	H2	BAKERLUBE™ CL						15605					
45	H2	BAKERLUBE™ HT						15705					
TPM	NSF	CORROSION PROTECTION	300ml										
33	H1	FOODLUBE® PROTECT SPRAY	15020										
TPM	NSF	COMPRESSOR & HYDRAULIC	5L	20L	200L								
5	H1	FOODLUBE® HI-POWER 22	15796	15795	15799								
6	H1	FOODLUBE® HI-POWER 32	15896	15895	15899								
18	H1	FOODLUBE® HI-POWER 46	15996	15995	15999								
3	H1	FOODLUBE® HI-POWER 68	16006	16005	16009								
17	H1	FOODLUBE® HI-POWER 100	15946	15945	15949								
TPM	NSF	GEARBOXES	5L	20L	200L								
40	H1	RAPID DEMULSE 220		15965									
28	H1	FOODLUBE® HI-TORQUE 150	15426	15425	15429								
8	H1	FOODLUBE® HI-TORQUE 220	15526	15525	15529								
13	H1	FOODLUBE® HI-TORQUE 320	15766	15765	15769								
27	H1	FOODLUBE® HI-TORQUE 460		15775	15779								
35	H1	VAC PUMP OIL	16806	16805									
TPM	NSF	ANTI-SEIZE & ASSEMBLY	85g	400g	500g	5kg	300ml	400ml					
64	H1	FOODLUBE® ANTI-SEIZE			15743								
2	H1	FOODLUBE® MULTIPASTE	15750	15851	15753	15756							
26	H1	FOODLUBE® MULTIPASTE SPRAY					15751						
23	H1	FOODLUBE® DISMANTLING SPRAY				15720							
TPM	NSF	CLEANERS	300ml	400ml									
36	K2	ELECTRA CLEAN SPRAY	34066										
49	C1	REMOVER & DEGREASER	34151										
46	K1	INDUSTRIAL CLEANER RAPID DRY SPRAY	34131										
22	A1	FOAM CLEANER SPRAY		34141									
55	A7	STAINLESS STEEL CLEANER SPRAY		34161									

*Grease inside the units is H1



ROCOL® A division of **ITW** Ltd



ISO 9001
Quality
Management
Systems
CERTIFIED

AS/NZS
5100
Aviation Space and
Defense
CERTIFIED

ISO 14001
Environmental
Management
CERTIFIED

ISO/IEC
27001
Information Security
Management
CERTIFIED

ISO 45001
Occupational
Health and Safety
Management
CERTIFIED



INVESTORS
IN PEOPLE

FM 12448

FM 667905

EMS 67596

IS 702007

OHS 78173

T +27 (0) 11 462 1730
F +27 (0) 86 425 6627
E customerservice@rocol.co.za

www.rocol.co.za

FLS_1222_IB