



WAVE

SOCKET OPTIONS




24 International
outlets available

CONFIGURATION OPTIONS



Customisable
configurations

FLUSH MOUNTING



Sits flush with
the work surface

PREMIUM CONSTRUCT



Slick one-piece
robust design

OPENING MECHANISM



Spring-assisted opening
and closing mechanism

FEATURES

The Wave is the next generation of the very popular horizontal power dock. It features a seamless solid aluminium top frame, greater opening range, spring assisted opening and closing and a new cable brush system. The Wave also features a soft-open/closing system to prevent the unit slamming to a stop. The Wave can be used in the closed position to minimise cable clutter, free up workspace and create a cleaner working environment.

GENERAL FEATURES

- Slick one-piece robust design
- Premium all aluminium finish
- Customisable configurations
- Available in three sizes
- Spring-assisted opening and closing mechanism
- Incl. a Cable Support Hanger
- Front mountable data interfaces allows easy installation of data/comms

SAFETY FEATURES

- Shuttered power outlets
- Protect against power overloads with optional thermal reset switch
- Liquid-spill resistant design

APPLICATIONS


- Workstations
- Boardrooms
- Meeting areas
- Laboratories
- Workshops

TECHNICAL


- **Voltage:** 110-250 V AC 50-60Hz
- **Current:** 15A (20A with upgraded wiring)
- **Power:** 1800W @ 110V - 125V AC
3000W @ 220V - 250V AC

POWER OUTLETS

24 International outlets available.




WAVE POWERDOCK




The manufacturer warrants this product to be free from defects in workmanship and materials, under normal residential use and conditions, for a period of one (1) year from the original invoice date. Shipping and handling fees are to be paid for by the customer.

WAVE CABLE SUPPORT HANGER

The Wave includes a Cable Support Hanger, which has been designed for efficiency, convenience and neat arrangement of cables.



**RECOMMENDED SPACE FOR CABLE
SUPPORT HANGER**



ALLOW SUFFICIENT CABLE SLACK



The manufacturer warrants this product to be free from defects in workmanship and materials, under normal use and conditions, for a period of one (1) year from the original invoice date. Shipping and handling fees are to be paid for by the customer.